

## **End-of-Life (EOL) Notification**

**EOL Number: GT5777EOL** 

Galtronics EXTENT™ D5777i 30°/30° Narrow Beam Directional Panel Antenna [698-960MHz,

1710-2700 MHz]

Galtronics announces the end-of-sale and end-of-life dates for our referenced model EXTENT™ D5777i. The last time to buy the product is December 31, 2020 and the last time to schedule shipments is March 31, 2021 as summarized below:

Notification Date*:	October 7, 2020
Last Time Buy (LTB) Date:	December 31, 2020
Manufacture Discontinuance (MD) Date:	March 31, 2021
End of Life (EOL) Date:	March 31, 2021
Last Time for Order Shipments:	March 31, 2021
Last Time to Repair:	March 31, 2021
Market Regions Affected:	Global

<sup>\*</sup>All orders placed after the date of this notice cannot be canceled or returned. Please check with your Galtronics Sales Representative for details and availability of inventory.

#### Reason for End of Life of this Product

Upgraded models GP2406-06670, GP2912-06907 and GP2910-06975 are all potential replacement solutions and are all factory available as of this End-of-Life issuance date. These models offer improved specifications, including 2x2 5GHz coverage (all models), 4x4 MIMO coverage in midband (all models), 4x4 MIMO coverage in 3.5GHz (6907 & 6975 models only) and lowband 600MHz inclusion (6907 & 6975 models only) in competitive physical form factors.

Further details and comparison of specifications can be found in the tables located below. Product data sheets for these replacement solutions can be found at the Galtronics website <a href="https://galtronics.com/">https://galtronics.com/</a>. Replacement product pattern files can be obtained by making a request to your Galtronics Sales representative, open a "chat" with a Galtronics representative on our website, or contact us at the phone number found below.



### **Product Repairs**

Product repair or replacement of EXTENT™ D5777i will be performed in accordance with existing contractual agreements or customer specific service plans as negotiated prior to EOL or within twelve (12) months of the original purchase date. If beyond Last Time to Repair Date, at Galtronics discretion, replacement model identified below may be provided in lieu of repair.

### **Manufacture Discontinuance and Last Time Buy Definition**

As part of ending the life of hardware elements this notice serves as a formal communication of Galtronics intent to Manufacture Discontinuance (MD) and offer Last Time Buy (LTB) date for the product(s) noted.

## <u> Alternative/Replacement Solutions - GP2406-06670</u>

https://galtronics.com/product/gp2406-06670/

Model Number	Suggested	Specification Comparisons		
	Replacement	EXTENT™ D5777i	GP2406-06670	
	Model Number*	(discontinued)	(replacement model)	
EXTENT™ D5777i	GP2406-06670	Specified over 698-960MHz and 1695-2700MHz frequency range.	Specified over 617-896MHz, 1695- 2690MHz and 5150-5925MHz frequency range.	
Ordering Options: 04119261-05777-1 04127261-05777-1	Ordering Options: GP2406-06670-111	04119261-05777-1 uses x2 7-16 DIN (F) connectors, and 04127261-05777-1 uses x4 7-16 DIN (F) connectors.	Uses x6 4.3-10-F DIN connectors.	
		Max. Gain: 13.0/13.7/14.2/14.7/15.4/16.3/ 16.1 dBi	Max. Gain: 12.6/13.0/15.5/16.0/16.7/6.0 dBi	
		Isolation: 25dB typ.	Isolation: 20dB min.	
		VSWR/Return Loss: <1.5:1,14dB	VSWR/Return Loss: <1.5:1,14dB	
		Passive Intermodulation (PIM): ≤-153dBc	Passive Intermodulation (PIM): ≤-153dBc	
		Dimension (WxHxD):	Dimension (WxHxD):	

Galtronics Corporation LTD

8930 S. Beck Avenue, Suite 103 Tempe, Arizona 85284 USA Phone: +1 480-496-5100

30.9" (787mm) x 24.7" (627mm) x 6.1" (155mm)	23.3" (592mm) x 23.3" (592mm) x 6.0" (152mm)	
Weight: 26.5 lbs. (12.0 Kg)	Weight: 26.5 lbs. (12.0 Kg)	

<sup>\*</sup>Galtronics suggests all users verify equivalency for use. Specifications are available from <a href="https://www.galtronics.com">www.galtronics.com</a>



# <u>Alternative/Replacement Solutions - GP2912-06907</u> https://galtronics.com/product/gp2912-06907/

Model Number	Suggested	Specification Comparisons		
	Replacement	EXTENT™ D5777i	GP2912-06907	
	Model Number*	(discontinued)	(replacement model)	
EXTENT™ D5777i	GP2912-06907	Specified over 698-960MHz and 1695-2700MHz frequency range.	Specified over 617-896MHz, 1695- 2690MHz, 3300-4200MHz and 5150-5925MHz frequency ranges.	
Ordering Options: 04119261-05777-1 04127261-05777-1	Ordering Options: GP2912-06907-112	04119261-05777-1 uses x2 7-16 DIN (F) connectors, and 04127261-05777-1 uses x4 7-16 DIN (F) connectors.	Uses x12 4.3-10-F DIN connectors.	
		Max. Gain: 13.0/13.7/14.2/14.7/15.4/16.3/ 16.1 dBi	Max. Gain: 12.8/13.5/13.9/15.5/16.0/14.5/ 15.1/15.6/5.5 dBi	
		Isolation: 25dB typ.	Isolation: 25dB min.	
		VSWR/Return Loss: <1.5:1,14dB	VSWR/Return Loss: <1.5:1 / >14dB	
		Passive Intermodulation (PIM): ≤-153dBc	Passive Intermodulation (PIM): ≤-153dBc	
		Dimension (WxHxD): 30.9" (787mm) x 24.7" (627mm) x 6.1" (155mm)	Dimension (WxHxD): 29.1" (739.5mm) x 29.1" (739.5mm) x 7.1" (179.7mm)	
		Weight: 26.5 lbs. (12.0 Kg)	Weight: 26 lbs (11.8 kg)	

<sup>\*</sup>Galtronics suggests all users verify equivalency for use. Specifications are available from <a href="https://www.galtronics.com">www.galtronics.com</a>



## <u> Alternative/Replacement Solutions - GP2910-06975</u>

https://galtronics.com/product/gp2910-06975/

Model Number	Suggested	Specification	Specification Comparisons	
	Replacement	EXTENT™ D5777i	GP2910-06975	
	Model Number*	(discontinued)	(replacement model)	
EXTENT™ D5777i	GP2910-06975	Specified over 698-960MHz and 1695-2700MHz frequency range.	Specified over 617-896MHz, 1695- 2690MHz, 3300-4200MHz and 5150-5925MHz frequency ranges.	
Ordering Options: 04119261-05777-1 04127261-05777-1	Ordering Options: GP2910-06975-112	04119261-05777-1 uses x2 7-16 DIN (F) connectors, and 04127261-05777-1 uses x4 7-16 DIN (F) connectors.	Uses x10 4.3-10-F DIN connectors.	
		Max. Gain: 13.0/13.7/14.2/14.7/15.4/16.3/ 16.1 dBi	Max. Gain: 12.5/13.0/13.3/15.5/15.5/16.1/ 14.6/15.4/16.1/5.5 dBi	
		Isolation: 25dB typ.	Isolation: 25dB min.	
		VSWR/Return Loss: <1.5:1,14dB	VSWR/Return Loss: <1.5:1 / >14dB	
		Passive Intermodulation (PIM): ≤-153dBc	Passive Intermodulation (PIM): ≤-153dBc	
		Dimension (WxHxD): 30.9" (787mm) x 24.7" (627mm) x 6.1" (155mm)	Dimension (WxHxD): 29.1" (739.5mm) x 29.1" (739.5mm) x 7.1" (179.7mm)	
		Weight: 26.5 lbs. (12.0 Kg)	Weight: 26 lbs (11.8 kg)	

<sup>\*</sup>Galtronics suggests all users verify equivalency for use. Specifications are available from <a href="https://www.galtronics.com">www.galtronics.com</a>



#### **CUSTOMER ACKNOWLEDGEMENT OF RECEIPT:**

Please complete the EOL acknowledgement receipt form below and email it to <u>john.dobiesz@galtronics.com</u> and the Galtronics Contact listed above.

Galtronics will deem this change accepted unless specific conditions of acceptance are provided in writing within 30 days from the date of this notice.

**Attention Distributors:** Product(s) identified in this notification will become obsolete and as such this EOL notification will act as the official written notification. All obsolete products will be listed in the next published quarterly distributor price book, following an EOL change, and listed on the obsolescence form which accompanies said price book. Within thirty (30) days from the published date of the price book, Distributor shall notify Galtronics in writing of Distributor's then current inventory of the obsolete product.

#### **EOL ACKNOWLEDGEMENT RECEIPT FORM**

Company: Contact Name:			
Title:			
Date:			
Email Address:			
Phone Number:			
Comments:			